

Patient Name \_\_\_\_\_ D.O.B \_\_\_\_\_

Date \_\_\_\_\_

Address \_\_\_\_\_

Phone # \_\_\_\_\_

Allergies \_\_\_\_\_

**Sterile Ophthalmic Preparations – To be compounded**

**PLEASE CHECK REQUESTED COMPOUNDED PRESCRIPTION** (notation of strength, quantity, directions for use may be required)

	Strength	Quantity
<input type="radio"/> Autologous eye drops	20%	Quantity sufficient for 6-month supply
<input type="radio"/> Blood draw - required (Quantity sufficient to prepare)	30%    40%    50% (Please circle one)	Quantity sufficient for 3-month supply
<input type="radio"/> Vancomycin O/S	25mg/ml (2.5%)    50mg/ml (5%)	10ml
<input type="radio"/> Gentamicin O/S	13.6mg/ml	7ml
<input type="radio"/> Tobramycin O/S	13.6mg/ml	7ml
<input type="radio"/> Amikacin O/S	50mg/ml	10ml
<input type="radio"/> Cefazolin O/S	50mg/ml	10ml
<input type="radio"/> Ceftazidime O/S	50mg/ml	10ml
<input type="radio"/> Amphotericin B O/S	1.5mg/ml	10ml
<input type="radio"/> Voriconazole O/S	10mg/ml	10ml
<input type="radio"/> Mitomycin C O/S	0.2mg/ml	1ml
<input type="radio"/> Edetate Disodium O/S	0.37% (0.01M)    1.7% (0.05M)	10ml
<input type="radio"/> Glycerin O/S	50%    80%	5ml
<input type="radio"/> Acetylcysteine O/S	10%	Quantity sufficient for 42-day supply
<input type="radio"/> Fluorouracil (5-FU) O/S	10mg/ml	5ml x 4 bottles Quantity sufficient for 4 cycles
<input type="radio"/> Low Dose Atropine O/S	0.01%    0.05%	Quantity sufficient for 90-day supply
<input type="radio"/> Tacrolimus O/S	0.025%	1ml x 12 bottles Quantity sufficient for 36-day supply

**\*\*Refills**    1    2    3    4    5    prn    zero

**Sig:** Instill   1   gtt/s           OU(both)           OS (Left)           OD (Right)           x Daily

**Sig (Alternative):** \_\_\_\_\_

**Date/time of scheduled surgical procedure (if applicable):** \_\_\_\_\_

**Prescriber name/signature:** \_\_\_\_\_

**Clinic Phone #** \_\_\_\_\_

Patient Name \_\_\_\_\_ D.O.B \_\_\_\_\_

Date \_\_\_\_\_

Address \_\_\_\_\_

Phone # \_\_\_\_\_

Allergies \_\_\_\_\_

### Sterile Ophthalmic Preparations – To be compounded

**PLEASE CHECK REQUESTED COMPOUNDED PRESCRIPTION** (notation of strength, quantity, directions for use may be required)

NOTE: Compounded formulations listed below are for intravitreal injections only. Additional 0.05mls overfill provided for drug loss within hub/lumen of needle.			
<input type="radio"/> Vancomycin INJ	1mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Ceftazidime INJ	2.25mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Dexamethasone INJ	0.4mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Cefuroxime INJ	1 mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Clindamycin INJ	1 mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Fluorouracil INJ	5mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>
<input type="radio"/> Methotrexate INJ	0.4mg / 0.1ml (Qty: 1 syringe = 0.15mls)	Sig: Intravitreal injection administered by qualified licensed medical personnel only.	Qty Syringes <b>x 1</b> <b>x 2</b>

**\*\*Refills 1 2 3 4 5 prn zero**

**Sig (Alternative):** \_\_\_\_\_

**Date/time of scheduled surgical procedure (if applicable):** \_\_\_\_\_

**Prescriber name/signature:** \_\_\_\_\_

**Clinic Phone #** \_\_\_\_\_